

# **Chemical Engineering Science**

List of Contents and Author Index

Volume 57, 2002



**PERGAMON**

# CHEMICAL ENGINEERING SCIENCE

## CHAIRMAN

PROF. J. BRIDGWATER. Department of Chemical Engineering, University of Cambridge, Pembroke Street, Cambridge CB2 3RA, UK.  
E-mail: john\_bridgwater@cheng.cam.ac.uk

## EXECUTIVE EDITORS

PROF. A. T. BELL  
Department of Chemical Engineering, University of California, Berkeley, CA 94720, USA. E-mail: bell@cchem.berkeley.edu

PROF. R. A. BROWN  
Department of Chemical Engineering, Massachusetts Institute of Technology, Room 66-342, Cambridge, MA 02139, USA.  
E-mail: rab@mit.edu

PROF. DR.-ING. E. D. GILLES  
University of Stuttgart, Institut für Systemdynamik und Regelungstechnik, Pfaffenwaldring 9, 70569 Stuttgart, Germany. E-mail: seiferi@isr.uni.stuttgart.de

PROF. K. HIGASHITANI  
Department of Chemical Engineering, Kyoto University, Yoshida-Honmachi, Sakyo-ku, Kyoto 606-8501, Japan. E-mail: higa@cheme.kyoto-u.ac.jp

PROF. I. S. METCALFE  
Department of Chemical Engineering, UMIST, P.O. Box 88, Sackville Street, Manchester M60 1QD, UK.

## INTERNATIONAL ADVISORY PANEL

PROF. F. ALLGÖWER (Stuttgart, Germany)  
DR. B. BISCANS (Toulouse, France)  
DR. K. CARPENTER (Singapore)  
PROF. J.-C. CHARPENTIER (Villeurbanne, France)  
PROF. S. W. CHURCHILL (Philadelphia, PA, USA)  
PROF. L. F. GLADDEN (Cambridge, UK)  
PROF. T. M. GUO (Beijing, China)  
PROF. G. J. JAMESON (Callaghan, Australia)  
PROF. Y. KEVREKIDIS (Princeton, NJ, USA)  
DR. N. KOBAYASHI (Nagoya, Japan)  
PROF. J. A. M. KUIPERS (Enschede, The Netherlands)  
DR. B. D. KULKARNI (Pune, India)  
PROF. D. J. LEE (Taipei, Taiwan)

PROF. J. LI (Beijing, People's Republic of China)  
DR. A. MARC (Nancy, France)  
PROF. DR.-ING. W. MARQUARDT (Aachen, Germany)  
DR. R. A. MASHELKAR (New Delhi, India)  
PROF. J. MASLIYAH (Edmonton, Canada)  
PROF. K. OKUYAMA (Hiroshima, Japan)  
PROF. L. D. SCHMIDT (Minneapolis, MN, USA)  
PROF. S. SKOGESTAD (Trondheim, Norway)  
PROF. D. N. THEODOROU (Athens, Greece)  
PROF. D. TIRRELL (Pasadena, CA, USA)  
PROF. W. P. M. VAN SWAAIJ (Enschede, The Netherlands)  
PROF. J. VILLADSEN (Lyngby, Denmark) —  
Book Review Editor

## Publishing Office

Elsevier Science Ltd., The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK  
Phone: (+44)(1865) 843000; Fax: (+44)(1865) 843010

**Author enquiries:** For enquiries relating to the submission of articles (including electronic submission), the status of accepted articles, author frequently asked questions and any other enquiries relating to Elsevier Science, please consult <http://authors.elsevier.com>

For specific enquiries on the preparation of electronic artwork, consult <http://authors.elsevier.com>

Contact details for questions arising after acceptance of an article, especially those relating to proofs, are provided when an article is accepted for publication.

**Advertising information.** Advertising orders and enquiries can be sent to: **USA, Canada and South America:** Mr Tino DeCarlo, The Advertising Department, Elsevier Science Inc., 360 Park Avenue South, New York, NY 10010-1710, USA; phone: (+1) (212) 633 3815; fax: (+1) (212) 633 3820; e-mail: t.decarlo@elsevier.com. **Japan:** The Advertising Department, Elsevier Science K.K., 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 5561-5033; fax: (+81) (3) 5561 5047. **Europe and ROW:** Commercial Sales Department, Elsevier Science Ltd., The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK; phone (+44) 1865 843016; fax: (+44) 1865 843976; e-mail: media@elsevier.com

**Publication information:** *Chemical Engineering Science* (ISSN 0009-2509). For 2002, volume 57 is scheduled for publication. Subscription prices are available upon request from the Publisher or from the Regional Sales Office nearest you or from this journal's website: (<http://www.elsevier.com/locate/ces>). Further information is available on this journal and other Elsevier Science products through Elsevier's website: (<http://www.elsevier.com>). Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by standard mail (surface within Europe, air delivery outside Europe). Priority rates are available upon request. Claims for missing issues should be made within six months of the date of dispatch.

**Orders, claims, and product enquiries:** please contact the Customer Support Department at the Regional Sales Office nearest you:

**New York:** Elsevier Science, PO Box 945, New York, NY 10159-0945, USA; Phone: (+1) (212) 633 3730 [toll free number for North American customers: 1-888-4ES-INFO (437-4636)]; Fax: (+1) (212) 633 3680; E-mail: usinfo-f@elsevier.com.

**Amsterdam:** Elsevier Science, PO Box 211, 1000 AE Amsterdam, The Netherlands; Phone: (+31) 20 4853757; Fax: (+31) 20 4853432; E-mail: nlinfo-f@elsevier.com.

**Tokyo:** Elsevier Science KK, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; Phone: (+81) (3) 5561 5033; Fax: (+81) (3) 5561 5047; E-mail: info@elsevier.co.jp.

**Singapore:** Elsevier Science, 3 Killiney Road, #08-01 Winsland House I, Singapore 239519; phone: (+65) 6349 0200; fax: (+65) 6733 1510; E-mail: asiainfo@elsevier.com.sg.

**Rio de Janeiro:** Elsevier Science, Rua Sete de Seternbro 111/16 Andar, 20050-002 Centro, Rio de Janeiro - RJ, Brazil; Phone: (+55) (21) 509 5340; Fax: (+55) (21) 507 1991; E-mail: elsevier@campus.com.br

[Note (Latin America): for orders, claims and help desk information, please contact the Regional Sales Office in New York as listed above].

**Back Issues:** Back issues of all previously published volumes are available direct from Elsevier Science Offices (Oxford and New York). Complete volumes and single issues can be purchased for 1999-2001. Earlier issues are available in high quality photo-duplicated copies as complete volumes only. Back volumes on microfilm are available from UM1, 300 North Zeeb Road, Ann Arbor, MI 48106, USA.

**USA mailing notice:** *Chemical Engineering Science* (ISSN 0009-2509) is published (two issues per month January to December in one volume) by Elsevier Science Ltd., (P.O. Box 211, 1000 AE Amsterdam, The Netherlands). Annual subscription price in the USA US\$ 4306.00 (valid in North, Central and South America), including air speed delivery. Periodical postage rate paid at Jamaica, NY 11431.

**USA POSTMASTER:** Send address changes to *Chemical Engineering Science*, Publications Expediting Inc., 200 Meacham Ave, Elmont, NY 11003.

**AIRFREIGHT AND MAILING** in the USA by Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003.

**POSTMASTER:** Please send address corrections to: *Chemical Engineering Science*, c/o Customer Services, Elsevier Science Inc., 655 Avenue of the Americas, New York, NY 10010, USA.

# LIST OF CONTENTS

## Number 1

- |   |   |
|---|---|
| <b>N. V. Mantzaris, F. Sreenc and P. Daoutidis</b>                            | 1 Nonlinear productivity control using a multi-staged cell population balance model   |
| <b>O. Boutin, M. Ferrer and J. L    </b>                                      | 15 Flash pyrolysis of cellulose pellets submitted to a concentrated radiation: experiments and modelling  |
| <b>R. Rota, D. Antos,   . F. Zanoelo and M. Morbidelli</b>                    | 27 Experimental and modeling analysis of the NO <sub>x</sub> OUT process  |
| <b>D. Linke, D. Wolf, M. Baerns, S. Zey  , U. Dingerdissen and L. Mleczko</b> | 39 Catalytic partial oxidation of ethane to acetic acid over Mo <sub>1</sub> V <sub>0.25</sub> Nb <sub>0.12</sub> Pd <sub>0.0005</sub> O <sub>x</sub> : reactor operation |
| <b>E. Iritani, Y. Mukai and E. Hagihara</b>                                   | 53 Measurements and evaluation of concentration distributions in filter cake formed in dead-end ultrafiltration of protein solutions                                      |
| <b>J. Chen and K.-C. Liu</b>  | 63 On-line batch process monitoring using dynamic PCA and dynamic PLS models  |
| <b>P. Bacchin, D. Si-Hassen, V. Starov, M. J. Clifton and P. Aimar</b>        | 77 A unifying model for concentration polarization, gel-layer formation and particle deposition in cross-flow membrane filtration of colloidal suspensions                |
| <b>C.-F. Liu, S.-M. Shih and R.-B. Lin</b>                                    | 93 Kinetics of the reaction of Ca(OH) <sub>2</sub> /fly ash sorbent with SO <sub>2</sub> at low temperatures  |
| <b>V. Manousiouthakis and D. J. Chmielewski</b>                               | 105 On constrained infinite-time nonlinear optimal control  |
| <b>Q.-G. Wang, Y. Zhang and M.-S. Chiu</b>                                    | 115 Decoupling internal model control for multivariable systems with multiple time delays   |
| <b>L. Bao and G. G. Lipscomb</b>  | 125 Well-developed mass transfer in axial flows through randomly packed fiber bundles with constant wall flux   |
| <b>I. Prasetyo, H. D. Do and D. D. Do</b>                                     | 133 Surface diffusion of strong adsorbing vapours on porous carbon  |
| <b>S.-H. Lin and R.-S. Juang</b>  | 143 Simultaneous extraction and stripping of EDTA-chelated metallic anions with Aliquat 336 in hollow fiber contactors  |
| <b>A. H. Park, H. Bi and J. R. Grace</b>                                      | 153 Reduction of electrostatic charges in gas-solid fluidized beds  |
| <b>Z. Qi, A. Kolah and K. Sundmacher</b>                                      | 163 Residue curve maps for reactive distillation systems with liquid-phase splitting  |
| <b>D. Ko, M. Kim, I. Moon and D.-k. Choi</b>                                  | 179 Analysis of purge gas temperature in cyclic TSA process   |
| <b>M. Polli, M. D. Stanislao, R. Bagatin, E. A. Bakr and M. Masi</b>          | 197 Bubble size distribution in the sparger region of bubble columns  |
| <b>L.-Y. Chu, W.-M. Chen and X.-Z. Lee</b>                                    | 207 Enhancement of hydrocyclone performance by controlling the inside turbulence structure  |



## Number 2

**SPECIAL ISSUE****SOLIDS FLOW MECHANISMS AND THEIR APPLICATIONS***Foreword*

- K. Shinohara and U. Tüzün** 213 Solids flow mechanisms and their applications

**CONTINUUM MODELS FOR COUPLING STRESS AND VELOCITY FIELDS IN GRANULAR FLOWS**

- H. Takahashi, H. Kawai and Y. Suzuki** 215 Analysis of stress and buoyancy for solids flow in the lower part of a blast furnace

**NOVEL NUMERICAL SIMULATION TECHNIQUES FOR PARTICLE ASSEMBLIES, POST SIMULATION ANALYSIS AND EXPERIMENTAL VERIFICATION**

- T. Sugino and S. Yuu** 227 Numerical analysis of fine powder flow using smoothed particle method and experimental verification
- H. Hayakawa and H. Kuninaka** 239 Simulation and theory of the impact of two-dimensional elastic disks
- L. Smith and U. Tüzün** 253 Life after computer simulations: towards establishing bulk evolution rules based on discrete granular dynamics

**STUDIES OF PARTICLE SEGREGATION IN GRANULAR SYSTEMS**

- A. D. Rosato, D. L. Blackmore, N. Zhang and Y. Lan** 265 A perspective on vibration-induced size segregation of granular materials
- K. Shinohara and B. Golman** 277 Particle segregation of binary mixture in a moving bed by penetration model

**BULK SOLIDS CHARACTERIZATION AND HANDLING APPLICATIONS**

- J. Schwedes** 287 Consolidation and flow of cohesive bulk solids
- A. W. Roberts and C. M. Wensrich** 295 Flow dynamics or 'quaking' in gravity discharge from silos

## Number 3

- A. Esposito, F. Pagnanelli and F. Vegliò** 307 pH-related equilibria models for biosorption in single metal systems
- H. Zhang, S. M. Mahajani, M. M. Sharma and T. Sridhar** 315 Hydration of cyclohexene with solid acid catalysts
- J. E. P. Monteagudo, K. Rajagopal and P. L. C. Lage** 323 Simulating oil flow in porous media under asphaltene deposition



|   |     |  |
|---|-----|--|
| <b>H. Z. Li, Y. Mouline and N. Midoux</b>                                     | 339 | Modelling the bubble formation dynamics in non-Newtonian fluids  |
| <b>S. Kiil, H. Nygaard and J. E. Johnsson</b>                                 | 347 | Simulation studies of the influence of HCl absorption on the performance of a wet flue gas desulphurisation pilot plant                            |
| <b>D. Dittmar, R. Eggers, H. Kahl and S. Enders</b>                           | 355 | Measurement and modelling of the interfacial tension of triglyceride mixtures in contact with dense gases  |
| <b>D. Nagrath, V. Prasad and B. W. Bequette</b>                               | 365 | A model predictive formulation for control of open-loop unstable cascade systems   |
| <b>V. K. Mandhani, R. P. Chhabra and V. Eswaran</b>                           | 379 | Forced convection heat transfer in tube banks in cross flow  |
| <b>W. R. Smith and L. N. Bobrova</b>  | 393 | Mathematical modelling of a reverse flow reactor with catalytic surface dynamics   |
| <b>L. Jossic, A. Briguët and A. Magnin</b>                                    | 409 | Segregation under flow of objects suspended in a yield stress fluid and NMR imaging visualisation  |
| <b>R. Arvind, S. Farooq and D. M. Ruthven</b>                                 | 419 | Analysis of a piston PSA process for air separation  |
| <b>V. Balakotaiah, N. Gupta and D. H. West</b>                                | 435 | Transport limited pattern formation in catalytic monoliths   |
| <b>D. Eskin and H. Kalman</b>   | 449 | A simple model of a cylindrical heavily laden gas-particle jet   |
| <b>T.-S. Chen and J.-M. Chern</b>   | 457 | General rate equations and their applications for cyclic reaction networks: multi-cycle systems  |
| <b>K. Takahashi, A. A.-S. Abdel-Tawab, S. Nii, T. Yajima and F. Kawaizumi</b> | 469 | Extraction of rare earth metals with a multistage mixer-settler extraction column  |
| <b>A. de Lucas, L. Rodríguez, J. Lobato and P. Sánchez</b>                    | 479 | Synthesis of crystalline $\delta$ -Na <sub>2</sub> Si <sub>2</sub> O <sub>5</sub> from sodium silicate solution for use as a builder in detergents |
| <b>S. S. Alves, C. I. Maia and J. M. T. Vasconcelos</b>                       | 487 | Experimental and modelling study of gas dispersion in a double turbine stirred tank  |
| <b>H. Setyawan, M. Shimada, K. Ohtsuka and K. Okuyama</b>                     | 497 | Visualization and numerical simulation of fine particle transport in a low-pressure parallel plate chemical vapor deposition reactor               |
| <b>E. Lee, Y.-H. Lee, Y.-T. Pai and J.-P. Hsu</b>                             | 507 | Flow of a viscoelastic shear-thinning fluid between two concentric rotating spheres  |
| <b>S. Blaser</b>  | 515 | Forces on the surface of small ellipsoidal particles immersed in a linear flow field   |
| <i>Shorter communication</i>  |     |  |
| <b>R. K. Niven</b>  | 527 | Physical insight into the Ergun and Wen & Yu equations for fluid flow in packed and fluidised beds   |

## Number 4

- |   |     |   |
|---|-----|---|
| <b>A. A. Kiss, C. S. Bildea, A. C. Dimian and P. D. Iedema</b>              | 535 | State multiplicity in CSTR-separator-recycle polymerisation systems   |
| <b>D. Ronze, P. Fongarland, I. Pitault and M. Forissier</b>                 | 547 | Hydrogen solubility in straight run gasoil  |
| <b>X. Yang, N. H. Thomas, L. J. Guo and Y. Hou</b>                          | 555 | Two-way coupled bubble laden mixing layer   |
| <b>G. S. Barker, B. Jefferson and S. J. Judd</b>                            | 565 | The control of bubble size in carbonated beverages  |
| <b>L. T. Biegler, A. M. Cervantes and A. Wächter</b>                        | 575 | Advances in simultaneous strategies for dynamic process optimization  |
| <b>D. Ramkrishna and A. W. Mahoney</b>                                      | 595 | Population balance modeling. Promise for the future   |
| <b>S. J. Neethling and J. J. Cilliers</b>                                   | 607 | Solids motion in flowing froths   |
| <b>V. S. Moholkar, M. Huitema, S. Rekveld and M. M. C. G. Warmoeskerken</b> | 617 | Characterization of an ultrasonic system using wavelet transforms   |
| <b>D. Barletta, A. Marzocchella and P. Salatino</b>                         | 631 | Modelling the SO <sub>2</sub> -limestone reaction under periodically changing oxidizing/reducing conditions: the influence of cycle time on reaction rate |
| <b>L. Levine, C. M. Corvalan, O. H. Campanella and M. R. Okos</b>           | 643 | A model describing the two-dimensional calendaring of finite width sheets   |
| <b>M. A. El-Rifai and R. S. Ettouney</b>                                    | 651 | Integrated design of coupled separation processes with independent solvent circulation loops  |
| <b>S. Sajjadi, M. Zerfa and B. W. Brooks</b>                                | 663 | Dynamic behaviour of drops in oil/water/oil dispersions   |
| <b>M. E. D. Urso, C. J. Lawrence and M. J. Adams</b>                        | 677 | A two-dimensional study of the rupture of funicular liquid bridges  |
| <b>T. R. Noordman, T. H. Ketelaar, F. Donkers and J. A. Wesselingh</b>      | 693 | Concentration and desalination of protein solutions by ultrafiltration  |

## Number 5

- |   |     |  |
|---|-----|--|
| <b>Z. Huo, M. D. Jager, K. T. Miller and E. D. Sloan Jr</b>     | 705 | Ethylene oxide hydrate non-stoichiometry: measurements and implications  |
| <b>M. A. Al-Arfaj and W. L. Luyben</b>                          | 715 | Design and control of an olefin metathesis reactive distillation column  |
| <b>V. Geraldes, V. Semiao and M. N. de Pinho</b>                | 735 | The effect on mass transfer of momentum and concentration boundary layers at the entrance region of a slit with a nanofiltration membrane wall |
| <b>D. Papadias, U. Würtenberger, L. Edsberg and P. Björnbom</b> | 749 | Design and characterisation of a close-concentric annular reactor for kinetic studies at high temperatures                                     |

- G. Kaupp, J. Schmeyers, M. R. Naimi-Jamal, H. Zoz and H. Ren** 763 Reactive milling with the Simoloyer®: environmentally benign quantitative reactions without solvents and wastes
- R. H. de Lima Leite, P. Cognet, A.-M. Wilhelm and H. Delmas** 767 Anodic oxidation of 2,4-dihydroxybenzoic acid for wastewater treatment: study of ultrasound activation
- S. Harada, H. Li, K. Funatsu and Y. Tomita** 779 Spouting of fine powder from vertically vibrated bed
- I. Iliuta, K. Dam-Johansen, A. Jensen and L. S. Jensen** 789 Modeling of in-line low-NO<sub>x</sub> calciners—a parametric study
- I. Iliuta, K. Dam-Johansen and L. S. Jensen** 805 Mathematical modeling of an in-line low-NO<sub>x</sub> calciner
- R. Zauner and A. G. Jones** 821 On the influence of mixing on crystal precipitation processes—application of the segregated feed model
- M. van Sint Annaland, H. A. R. Scholts, J. A. M. Kuipers and W. P. M. van Swaaij** 833 A novel reverse flow reactor coupling endothermic and exothermic reactions. Part I: comparison of reactor configurations for irreversible endothermic reactions
- M. van Sint Annaland, H. A. R. Scholts, J. A. M. Kuipers and W. P. M. van Swaaij** 855 A novel reverse flow reactor coupling endothermic and exothermic reactions. Part II: Sequential reactor configuration for reversible endothermic reactions
- I. Karafyllis and A. Kokossis** 873 On a new measure for the integration of process design and control: the disturbance resiliency index
- M. D. Goodner and C. N. Bowman** 887 Development of a comprehensive free radical photopolymerization model incorporating heat and mass transfer effects in thick films

## Number 6

- F. Duprat** 901 Light-off curve of catalytic reaction and kinetics
- H. Bak, A. Afoke, A. J. McLeod, R. Brown, P. A. Shamlou and P. Dunnill** 913 The impact of rheology of human fibronectin–fibrinogen solutions on fibre extrusion for tissue engineering
- Q. Yang, Y. Liu, A. Gu, J. Ding and Z. Shen** 921 Investigation of induction period and morphology of CaCO<sub>3</sub> fouling on heated surface
- O. Molerus** 933 The relevance of dimensionless frequencies for turbulent flow phenomena observed in chemical engineering practice
- M. Dadvar and M. Sahimi** 939 Pore network model of deactivation of immobilized glucose isomerase in packed-bed reactors II: three-dimensional simulation at the particle level
- B. A. Buffham, K. Hellgardt, M. J. Heslop, G. Mason and D. J. Richardson** 953 Modelling and simulation of the flux responses of a gas–solid catalytic micro-reactor
- R. Wang, S. L. Liu, T. T. Lin and T. S. Chung** 967 Characterization of hollow fiber membranes in a permeator using binary gas mixtures
- L. Pilon, A. G. Fedorov and R. Viskanta** 977 Analysis of transient thickness of pneumatic foams
- A. Chen, J. R. Grace, N. Epstein and C. J. Lim** 991 Steady state dispersion of mono-size, binary and multi-size particles in a liquid fluidized bed classifier



- |   |      |  |
|---|------|--|
| <b>A. Chen, J. R. Grace, N. Epstein and C. J. Lim</b>                 | 1003 | Unsteady state hydrodynamic model and dynamic behaviour of a liquid fluidized bed classifier                     |
| <b>E. S. Kikkinides, A. A. Lappas, A. Nalbadian and I. A. Vasalos</b> | 1011 | Correlation of reactor performance with catalyst structural changes during coke formation in FCC processes       |
| <b>Q. Xiong and A. Jutan</b>  | 1027 | Grey-box modelling and control of chemical processes   |
| <b>T. L. van Noorden, S. M. Verduyn Lunel and A. Blik</b>             | 1041 | Acceleration of the determination of periodic states of cyclically operated reactors and separators              |
| <b>S. Park and D.-R. Lee</b>  | 1057 | Predictions of pressure drop for modified power law fluids in conduits of three different cross-sectional shapes |

*Shorter communication*

- |   |      |   |
|---|------|---|
| <b>L. Y. Yeo, O. K. Matar, E. S. P. de Ortiz and G. F. Hewitt</b> | 1069 | A simple predictive tool for modelling phase inversion in liquid-liquid dispersions |
|---|------|---|

Number 7

- |   |      |  |
|---|------|--|
|   | 1073 | Sixteenth P. V. Danckwerts Memorial Lecture  |
| <b>R. W. H. Sargent</b>                                   | 1075 | Engineering science—or scientific engineering?   |
| <b>C. Boyer and B. Fanget</b>                             | 1079 | Measurement of liquid flow distribution in trickle bed reactor of large diameter with a new gamma-ray tomographic system |
| <b>J. Gilmour and L. Wang</b>                             | 1091 | Detection of process abnormality in food extruder using principle component analysis                                     |
| <b>V. Diakov and A. Varma</b>                             | 1099 | Reactant distribution by inert membrane enhances packed-bed reactor stability  |
| <b>A. W. Mahoney and D. Ramkrishna</b>                    | 1107 | Efficient solution of population balance equations with discontinuities by finite elements                               |
| <b>W. R. Bowen and J. S. Welfoot</b>                      | 1121 | Modelling the performance of membrane nanofiltration—critical assessment and model development                           |
| <b>S. U. Rege and R. T. Yang</b>                          | 1139 | Propane/propylene separation by pressure swing adsorption: sorbent comparison and multiplicity of cyclic steady states   |
| <b>R. Ehrig, O. Ofenloch, K. Schaber and P. Deuflhard</b> | 1151 | Modelling and simulation of aerosol formation by heterogeneous nucleation in gas-liquid contact devices                  |
| <b>S.-S. Na and H.-K. Rhee</b>                            | 1165 | An experimental study for property control in a continuous styrene polymerization reactor using a polynomial ARMA model  |
| <b>F. Scala and P. Salatino</b>                           | 1175 | Modelling fluidized bed combustion of high-volatile solid fuels  |
| <b>S. A. Gadre and J. A. Ritter</b>                       | 1197 | New analytical solution for nonlinear adsorption and diffusion in a single particle                                      |

|   |      |  |
|---|------|--|
| <b>J. Pruvost, J. Legrand, P. Legentilhomme and A. Muller-Feuga</b>   | 1205 | Lagrangian trajectory model for turbulent swirling flow in an annular cell: comparison with residence time distribution measurements |
| <b>W. G. P. Mietus, O. K. Matar, C. J. Lawrence and B. J. Briscoe</b> | 1217 | Droplet deformation in confined shear and extensional flow   |
| <i>Shorter communication</i>  |      |  |
| <b>K. P. Galvin and G. Nguyentranlam</b>                              | 1231 | Influence of parallel inclined plates in a liquid fluidized bed system   |
| <b>J. Villadsen</b>   | 1235 | <i>Book review</i>   |

## Number 8

|   |      |   |
|---|------|---|
| <b>B. C. Paez, A. R. Medina, F. C. Rubio, P. G. Moreno and E. M. Grima</b>              | 1237 | Production of structured triglycerides rich in n-3 polyunsaturated fatty acids by the acidolysis of cod liver oil and caprylic acid in a packed-bed reactor: equilibrium and kinetics |
| <b>I. A. Karimi and S. R. Inamdar</b>   | 1251 | Branching and stability of stationary solutions in multi-equation systems   |
| <b>V. Balakotaiah and D. H. West</b>  | 1269 | Shape normalization and analysis of the mass transfer controlled regime in catalytic monoliths  |
| <b>C. Lelièvre, P. Legentilhomme, C. Gaucher, J. Legrand, C. Faille and T. Bénézech</b> | 1287 | Cleaning in place: effect of local wall shear stress variation on bacterial removal from stainless steel equipment  |
| <b>D. Yu. Murzin</b>  | 1299 | Kinetics of catalytic reactions with two types of sites: nonuniform surfaces  |
| <b>A. W. Patwardhan</b>   | 1307 | CFD modeling of jet mixed tanks   |
| <b>M. S. P. Gomes and J. H. Vincent</b>   | 1319 | The effect of inertia on the dispersion of particles in the flow around a two-dimensional flat plate  |
| <b>M. Agarwal, R. P. Chhabra and V. Eswaran</b>   | 1331 | Laminar momentum and thermal boundary layers of power-law fluids over a slender cylinder  |
| <b>T. Düren, F. J. Keil and N. A. Seaton</b>  | 1343 | Composition dependent transport diffusion coefficients of CH <sub>4</sub> /CF <sub>4</sub> mixtures in carbon nanotubes by non-equilibrium molecular dynamics simulations             |
| <b>J. A. B. Satrio and L. K. Doraiswamy</b>   | 1355 | Phase-transfer catalysis: a new rigorous mechanistic model for liquid-liquid systems  |
| <b>F. Johnsson, G. Larsson and B. Leckner</b>   | 1379 | Pressure and flow fluctuations in a fluidized bed—interaction with the air-feed system  |
| <b>W. R. Bowen and J. S. Welfoot</b>  | 1393 | Modelling of membrane nanofiltration—pore size distribution effects   |
| <b>J. O. M. de la Rosa, R. M. Escobar, T. V. Garcia and J. A. Ochoa-Tapia</b>           | 1409 | An analytic solution to the transient diffusion-reaction problem in particles dispersed in a slurry reactor   |

|  |      |  |
|--|------|--|
| <b>A. Lapin, T. Paaschen, K. Junghans and A. Lübbert</b> | 1419 | Bubble column fluid dynamics, flow structures in slender columns with large-diameter ring-spargers             |
| <b>S. S. S. Cardoso and M. Zarrebini</b>                 | 1425 | Sedimentation from surface currents generated by particle-laden jets   |
| <b>H. W. Xiang</b>                                       | 1439 | The new simple extended corresponding-states principle: vapor pressure and second virial coefficient           |
| <b>M. K. Szukiewicz</b>                                  | 1451 | An approximate model for diffusion and reaction in a porous pellet   |
| <b>L. C. Nett-Carrington and R. K. Herz</b>              | 1459 | Spatiotemporal patterns within a porous catalyst: dynamic carbon monoxide oxidation in a single-pellet reactor |
| <i>Shorter communications</i>                            |      |  |
| <b>K. Warmuzinski</b>                                    | 1475 | Effect of pressure equalization on power requirements in PSA systems   |
| <b>S.-Y. Lu and C.-T. Lee</b>                            | 1479 | Creeping motion of a spherical aerosol particle in a cylindrical pore  |
| <b>C. Yang</b>   | 1485 | Observation of microbubble attachment onto a hydrophilic glass surface   |

## Number 9

## SPECIAL ISSUE

## ISMR-2

## 2ND INTERNATIONAL SYMPOSIUM ON MULTIFUNCTIONAL REACTORS

|   |      |   |
|---|------|---|
| <b>D. W. Agar</b>   | 1489 | Foreword  |
| <b>R. Krishna</b>   | 1491 | Reactive separations: more ways to skin a cat   |
| <b>G. Kolios, J. Frauhammer and G. Eigenberger</b>                                    | 1505 | Efficient reactor concepts for coupling of endothermic and exothermic reactions                             |
| <b>F. Steyer, Z. Qi and K. Sundmacher</b>   | 1511 | Synthesis of cyclohexanol by three-phase reactive distillation: influence of kinetics on phase equilibria   |
| <b>K. Jakobsson, A. Pyh lahti, S. Pakkanen, K. Keskinen and J. Aittamaa</b>           | 1521 | Modelling of a side reactor configuration combining reaction and distillation                               |
| <b>A. Beckmann, F. Nierlich, T. P pken, D. Reusch, C. von Scala and A. Tuchlenski</b> | 1525 | Industrial experience in the scale-up of reactive distillation with examples from C <sub>4</sub> -chemistry |
| <b>J. M. van Baten and R. Krishna</b>   | 1531 | Gas and liquid phase mass transfer within KATAPAK-S <sup>®</sup> structures studied using CFD simulations   |
| <b>E. H. Stitt</b>  | 1537 | Reactive distillation for toluene disproportionation: a technical and economic evaluation                   |



|  |      |   |
|--|------|---|
| <b>C. Noeres, A. Hoffmann and A. Górak</b>   | 1545 | Reactive distillation: Non-ideal flow behaviour of the liquid phase in structured catalytic packings  |
| <b>M. Han, H. Lin, L. Wang and Y. Jin</b>  | 1551 | Characteristics of the reactive distillation column with a novel internal   |
| <b>M. P. Bernal, J. Coronas, M. Menéndez and J. Santamaría</b>                           | 1557 | Coupling of reaction and separation at the microscopic level: esterification processes in a H-ZSM-5 membrane reactor  |
| <b>V. Diakov, B. Blackwell and A. Varma</b>  | 1563 | Methanol oxidative dehydrogenation in a catalytic packed-bed membrane reactor: experiments and model  |
| <b>S. Wieland, T. Melin and A. Lamm</b>  | 1571 | Membrane reactors for hydrogen production   |
| <b>K. Tanaka, R. Yoshikawa, C. Ying, H. Kita and K.-i. Okamoto</b>                       | 1577 | Application of zeolite T membrane to vapor-permeation-aided esterification of lactic acid with ethanol  |
| <b>I. Polaert, A. M. Wilhelm and H. Delmas</b>   | 1585 | Phenol wastewater treatment by a two-step adsorption-oxidation process on activated carbon  |
| <b>J. L. den Hollander, M. Zomerdijk, A. J. J. Straathof and L. A. M. van der Wielen</b> | 1591 | Continuous enzymatic penicillin G hydrolysis in counter-current water-butyl acetate biphasic systems  |
| <b>T. Falk and A. Seidel-Morgenstern</b>   | 1599 | Analysis of a discontinuously operated chromatographic reactor  |
| <b>M. P. Elsner, C. Dittrich and D. W. Agar</b>  | 1607 | Adsorptive reactors for enhancing equilibrium gas-phase reactions—two case studies  |
| <b>A. M. Ribeiro and J. M. Loureiro</b>  | 1621 | Simulation of toxic gases and vapours removal by activated carbon filters   |
| <b>T. A. Nijhuis, A. E. W. Beers, F. Kapteijn and J. A. Moulijn</b>                      | 1627 | Water removal by reactive stripping for a solid-acid catalyzed esterification in a monolithic reactor   |
| <b>H.-J. Bart</b>  | 1633 | Reactive extraction of acids or metals—the state of the art of column design  |
| <b>P. S. Kumar, J. A. Hogendoorn, P. H. M. Feron and G. F. Versteeg</b>                  | 1639 | New absorption liquids for the removal of CO <sub>2</sub> from dilute gas streams using membrane contactors   |
| <b>M. Zafir and A. Gavriilidis</b>   | 1653 | An investigation of catalytic plate reactors by means of parametric sensitivity analysis  |
| <b>J. Kleine, K.-V. Peinemann, C. Schuster and H.-J. Warnecke</b>                        | 1661 | Multifunctional system for treatment of wastewaters from adhesive-producing industries: separation of solids and oxidation of dissolved pollutants using dotted microfiltration membranes |

## Number 10

|   |      |   |
|---|------|---|
| <b>P. Aguiar, D. Chadwick and L. Kershenbaum</b>        | 1665 | Modelling of an indirect internal reforming solid oxide fuel cell   |
| <b>C. T. Lee, A. M. Buswell and A. P. J. Middelberg</b> | 1679 | The influence of mixing on lysozyme renaturation during refolding in an oscillatory flow and a stirred-tank reactor |

|   |      |  |
|---|------|--|
| <b>R. Venkataramana, P. C. Kapur and S. S. Gupta</b>                                    | 1685 | Modelling of granulation by a two-stage auto-layering mechanism in continuous industrial drums   |
| <b>B. F. C. Laurent and J. Bridgwater</b>   | 1695 | Performance of single and six-bladed powder mixers   |
| <b>D. B. Jones and A. P. J. Middelberg</b>  | 1711 | Direct determination of the mechanical properties of an interfacially adsorbed protein film  |
| <b>J. F. Demmink, A. Mehra and A. A. C. M. Beenackers</b>                               | 1723 | Absorption of hydrogen sulfide into aqueous solutions of ferric nitrilotriacetic acid: local auto-catalytic effects  |
| <b>A. H. Alexopoulos, D. Maggioris and C. Kiparissides</b>                              | 1735 | CFD analysis of turbulence non-homogeneity in mixing vessels. A two-compartment model  |
| <b>K. Wegner, B. Walker, S. Tsantilis and S. E. Pratsinis</b>                           | 1753 | Design of metal nanoparticle synthesis by vapor flow condensation  |
| <b>R. Schneider and W. Marquardt</b>  | 1763 | Information technology support in the chemical process design life cycle   |
| <b>T. Salmi, T.-K. Rantakylä, J. Wärnå, P. Mäki-Arvela, J. Kuusisto and I. Martinez</b> | 1793 | Modelling of kinetic and transport effects in aldol hydrogenation over metal catalysts   |
| <b>D. Winn and M. F. Doherty</b>  | 1805 | Predicting the shape of organic crystals grown from polar solvents   |
| <b>V. Alopaeus, J. Koskinen, K. I. Keskinen and J. Majander</b>                         | 1815 | Simulation of the population balances for liquid-liquid systems in a nonideal stirred tank. Part 2—parameter fitting and the use of the multiblock model for dense dispersions |

*Letter to the Editors*

|                                      |      |   |
|--------------------------------------|------|---|
| <b>E. Tsotsas</b>                    | 1827 | The influence of confining walls on the pressure drop in packed beds            |
| <b>B. Eisfeld and K. Schnitzlein</b> | 1829 | Author's reply  |
| <b>J. Drahoš and M. Punčochář</b>    | 1831 | Comments on application of the fractional Brownian motion in an airlift reactor |
| <b>M. Filho</b>                      | 1833 | Authors' response to letter of Prof. J. Drahos                                  |

Number 11

|  |      |  |
|--|------|--|
| <b>J. A. Delgado, T. A. Nijhuis, F. Kapteijn and J. A. Moulijn</b> | 1835 | Modeling of fast pulse responses in the Multitrack: an advanced TAP reactor  |
| <b>A. Tomiyama, H. Tamai, I. Zun and S. Hosokawa</b>               | 1849 | Transverse migration of single bubbles in simple shear flows   |
| <b>T. Burkhardt, J. Verstraete, P. Galtier and M. Kraume</b>       | 1859 | Residence time distributions with a radiotracer in a hydrotreating pilot plant: Upflow versus downflow operation   |
| <b>L. B. Wang and N. I. Wakayama</b>                               | 1867 | Control of natural convection in non- and low-conducting diamagnetic fluids in a cubical enclosure using inhomogeneous magnetic fields with different directions |

|   |      |   |
|---|------|---|
| M. Nocentini, D. Pinelli and F. Magelli   | 1877 | Dispersion coefficient and settling velocity of the solids in agitated slurry reactors stirred with multiple rushton turbines   |
| J. Tiihonen, I. Markkanen, A. Kärki, P. Äänismaa, M. Laatikainen and E. Paatero | 1885 | Modelling the sorption of water-ethanol mixtures in cross-linked ionic and neutral polymers   |
| V. Michele and D. C. Hempel   | 1899 | Liquid flow and phase holdup—measurement and CFD modeling for two- and three-phase bubble columns   |
| A. K. Das, G. B. Marin, D. Constaes and G. S. Yablonsky                         | 1909 | Effect of surface nonuniformity on the kinetics of simultaneous adsorption of $\text{SO}_2$ - $\text{NO}_x$ over $\text{Na-}\gamma\text{-Al}_2\text{O}_3$ sorbent: a coverage-dependent stoichiometry |
| K. B. Lee, B. H. Chun, J. C. Lee, C. H. Lee and S. H. Kim                       | 1923 | Experimental analysis of bubble mode in a plate-type absorber   |
| I. Iliuta and F. Larachi  | 1931 | Hydrodynamics of power-law fluids in trickle-flow reactors: Mechanistic model, experimental verification and simulations  |
| A. de Lucas, J. L. Valverde, M. C. Romero, J. Gómez and J. F. Rodríguez         | 1943 | The ion exchange equilibria of $\text{Na}^+/\text{K}^+$ in nonaqueous and mixed solvents on a strong acid cation exchanger  |
| S. J. Humby, M. J. Biggs and U. Tüzün   | 1955 | Explicit numerical simulation of fluids in reconstructed porous media   |
| H. Yu, R. Sheikholeslami and W. O. S. Doherty                                   | 1969 | Mechanisms, thermodynamics and kinetics of composite fouling of calcium oxalate and amorphous silica in sugar mill evaporators—A preliminary study  |
| H. K. Gaidhani, K. L. Wasewar and V. G. Pangarkar                               | 1979 | Intensification of enzymatic hydrolysis of penicillin G: Part 1. Equilibria and kinetics of extraction of phenyl acetic acid by Alamine 336   |
| H. K. Gaidhani, V. L. Tolani, K. V. Pangarkar and V. G. Pangarkar               | 1985 | Intensification of enzymatic hydrolysis of penicillin G: Part 2. model for enzymatic reaction with reactive extraction  |
| G. Lamberti, G. Titomanlio and V. Brucato                                       | 1993 | Measurement and modelling of the film casting process 2. Temperature distribution along draw direction  |
| Y. Zhao and R. H. Davis   | 1997 | Interaction of two touching spheres in a viscous fluid  |
| H. M. Park and W. J. Lee  | 2007 | An inverse radiation problem of estimating heat-transfer coefficient in participating media   |
| S. Kauchali, W. C. Rooney, L. T. Biegler, D. Glasser and D. Hildebrandt         | 2015 | Linear programming formulations for attainable region analysis  |
| Z. F. Sun   | 2029 | Correlations for mass transfer coefficients over blunt boards based on modified boundary layer theories   |
| A. R. Goerke, J. Leung and S. R. Wickramasinghe                                 | 2035 | Mass and momentum transfer in blood oxygenators   |
| R. V. Bravo, R. F. Camacho, V. M. Moya and L. A. I. García                      | 2047 | Desulphurization of $\text{SO}_2$ - $\text{N}_2$ mixtures by limestone slurries   |



|   |      |   |
|---|------|---|
| <b>M. J. V. Goldschmidt, R. Beetstra and J. A. M. Kuipers</b>     | 2059 | Hydrodynamic modelling of dense gas-fluidised beds: Comparison of the kinetic theory of granular flow with 3D hard-sphere discrete particle simulations |
| <b>P. G. De Luca and C. Scali</b>                                 | 2077 | Temperature Oscillation Calorimetry: Robustness analysis of different algorithms for the evaluation of the heat transfer coefficient                    |
| <b>M. A. Islam and H. Buschatz</b>                                | 2089 | Gas permeation through a glassy polymer membrane: Chemical potential gradient or dual mobility mode?  |
| <b>X. Ni, D. Mignard, B. Saye, J. C. Johnstone and N. Pereira</b> | 2101 | On the evaluation of droplet breakage and coalescence rates in an oscillatory baffled reactor   |
| <i>Letter to the Editors</i>                                      |      |   |
| <b>R. Bürger, F. Concha and K. H. Karlsen</b>                     | 2115 | Author's reply  |
| <b>C. Tien</b>  | 2119 | Comments on Phenomological model of filtration processes: I. Cake formation and expression  |
| <b>S. Sicardi and G. Baldi</b>                                    | 2121 | Author's reply  |

## Number 12

## SPECIAL ISSUE

## POPULATION BALANCE MODELLING OF PARTICULATE SYSTEMS

*Introduction*

|   |      |   |
|---|------|---|
| <b>M. J. Hounslow</b>   | 2123 | Population balance modelling of particulate systems   |
| <b>P. J. Hill and K. M. Ng</b>                                  | 2125 | Particle size distribution by design  |
| <b>S. Tsantilis, H. K. Kammler and S. E. Pratsinis</b>          | 2139 | Population balance modeling of flame synthesis of titania nanoparticles   |
| <b>J. Ducoste</b>   | 2157 | A two-scale PBM for modeling turbulent flocculation in water treatment processes  |
| <b>A. M. Zamamiri, Y. Zhang, M. A. Henson and M. A. Hjortso</b> | 2169 | Dynamics analysis of an age distribution model of oscillating yeast cultures  |
| <b>L. X. Liu and J. D. Litster</b>                              | 2183 | Population balance modelling of granulation with a physically based coalescence kernel  |
| <b>R. B. Diemer and J. H. Olson</b>                             | 2193 | A moment methodology for coagulation and breakage problems: Part 1—analytical solution of the steady-state population balance |
| <b>R. B. Diemer and J. H. Olson</b>                             | 2211 | A moment methodology for coagulation and breakage problems: Part 2—moment models and distribution reconstruction              |
| <b>M. Frenklach</b>   | 2229 | Method of moments with interpolative closure  |

|  |      |  |
|--|------|--|
| <b>Y. Lin, K. Lee and T. Matsoukas</b>                             | 2241 | Solution of the population balance equation using constant-number Monte Carlo                                    |
| <b>M. Nicmanis and M. J. Hounslow</b>                              | 2253 | Error estimation and control for the steady state population balance equation: 1. An a posteriori error estimate |
| <b>A. G. Fredrickson and N. V. Mantzaris</b>                       | 2265 | A new set of population balance equations for microbial and cell cultures  |
| <b>B. J. McCoy</b>   | 2279 | A population balance framework for nucleation, growth, and aggregation   |
| <b>D. Verkoijen, G. A. Pouw, G. M. H. Meesters and B. Scarlett</b> | 2287 | Population balances for particulate processes—a volume approach  |
| <b>H. Mühlenweg, A. Gutsch, A. Schild and S. E. Pratsinis</b>      | 2305 | Process simulation of gas-to-particle-synthesis via population balances: Investigation of three models           |

## Number 13

|   |      |  |
|---|------|--|
| <b>G. Bayramoğlu, B. Kaya and M. Y. Arica</b>                             | 2323 | Procion Brown MX-5BR attached and Lewis metals ion-immobilized poly(hydroxyethyl methacrylate)/chitosan IPNs membranes: Their lysozyme adsorption equilibria and kinetics characterization |
| <b>K. Venkataraman, J. M. Redenius and L. D. Schmidt</b>                  | 2335 | Millisecond catalytic wall reactors: dehydrogenation of ethane   |
| <b>O. Haralampous and G. C. Koltsakis</b>                                 | 2345 | Intra-layer temperature gradients during regeneration of diesel particulate filters  |
| <b>A. A. Lapkin, S. R. Tennison and W. J. Thomas</b>                      | 2357 | A porous carbon membrane reactor for the homogeneous catalytic hydration of propene  |
| <b>P. A. Langston</b>   | 2371 | Comparison of least-squares method and Bayes' theorem for deconvolution of mixture composition   |
| <b>F. García-Labiano, A. Abad, L. F. de Diego, P. Gayán and J. Adánez</b> | 2381 | Calcination of calcium-based sorbents at pressure in a broad range of CO <sub>2</sub> concentrations   |
| <b>K. D. Kafui, C. Thornton and M. J. Adams</b>                           | 2395 | Discrete particle-continuum fluid modelling of gas-solid fluidised beds  |
| <b>Y. T. Makkawi and P. C. Wright</b>                                     | 2411 | Fluidization regimes in a conventional fluidized bed characterized by means of electrical capacitance tomography   |
| <b>A. Heyden, T. Düren and F. J. Keil</b>                                 | 2439 | Study of molecular shape and non-ideality effects on mixture adsorption isotherms of small molecules in carbon nanotubes: A grand canonical Monte Carlo simulation study                   |
| <b>X. Chen, G. Chen and P. L. Yue</b>                                     | 2449 | Investigation on the electrolysis voltage of electrocoagulation  |
| <b>H.-M. Yeh, H.-H. Cheng and M.-J. Hsieh</b>                             | 2457 | Recycle effect on membrane extraction through cross-flow rectangular modules   |

|  |      |   |
|--|------|---|
| <b>F. Bloom and T. J. Heindel</b>  | 2467 | On the structure of collision and detachment frequencies in flotation models  |
| <b>M. Hashemi, H. J. Kavak, T. T. Tsotsis and M. Sahimi</b>                    | 2475 | Computer simulation of gas generation and transport in landfills—I: quasi-steady-state condition  |
| <b>J. Alton, T. J. Plaisted and P. Hirma</b>                                   | 2503 | Kinetics of growth of spinel crystals in a borosilicate glass   |
| <b>B. Van der Bruggen, J. Geens and C. Vandecasteele</b>                       | 2511 | Fluxes and rejections for nanofiltration with solvent stable polymeric membranes in water, ethanol and <i>n</i> -hexane   |
| <b>K. Liberkova, R. Touroude and D. Yu. Murzin</b>                             | 2519 | Analysis of deactivation and selectivity pattern in catalytic hydrogenation of a molecule with different functional groups: crotonaldehyde hydrogenation on Pt/SnO <sub>2</sub> |
| <b>M. Pedernera, M. J. Alfonso, M. Menéndez and J. Santamaría</b>              | 2531 | Simulation of a catalytic membrane reactor for the oxidative dehydrogenation of butane  |
| <b>S. Chakraborty and V. Balakotaiah</b>                                       | 2545 | Low-dimensional models for describing mixing effects in laminar flow tubular reactors   |
| <b>P. E. Kechagia, I. N. Tsimpanogiannis, Y. C. Yortsos and P. C. Lichtner</b> | 2565 | On the upscaling of reaction-transport processes in porous media with fast or finite kinetics   |

*Shorter communications*

|  |      |  |
|--|------|--|
| <b>A. T. Harris, R. B. Thorpe and J. F. Davidson</b> | 2579 | Characterisation of the annular film thickness in circulating fluidised-bed risers |
| <b>M. J. Rivero, R. Ibáñez and M. I. Ortiz</b>       | 2589 | Mathematical modelling of styrene drying by adsorption onto activated alumina      |

*Corrigendum*

|   |      |  |
|---|------|--|
| <b>K. Hou, R. Hughes, R. Ramos, M. Menéndez and J. Santamaría</b> | 2593 | Corrigendum to: "Simulation of a membrane reactor for oxidative dehydrogenation of propane, incorporating radial concentration and temperature profiles" [Chem. Eng. Sci. 56 (2001) 57–67] |
|---|------|--|

Number 14

|  |      |  |
|--|------|--|
| <b>G. Stephanopoulos and D. E. Stafford</b>                    | 2595 | Metabolic engineering: a new frontier of chemical reaction engineering   |
| <b>H. Zhou, S. Abanades, G. Flamant, D. Gauthier and J. Lu</b> | 2603 | Simulation of heavy metal vaporization dynamics in a fluidized bed   |
| <b>D. A. Henning and L. D. Schmidt</b>                         | 2615 | Oxidative dehydrogenation of ethane at short contact times: species and temperature profiles within and after the catalyst                       |
| <b>J.-P. Hsu and Y.-H. Hsieh</b>                               | 2627 | Drag force on a floc in a flow field: two-layer model  |
| <b>A. C.-Y. Wong</b>   | 2635 | Use of angle of repose and bulk densities for powder characterization and the prediction of minimum fluidization and minimum bubbling velocities |



|  |      |   |
|--|------|---|
| <b>W. L. Duncan and K. P. Möller</b>                             | 2641 | The effect of a crystal size distribution on ZLC experiments  |
| <b>T. Yanagida, A. J. Matchett and J. M. Coulthard</b>           | 2653 | Effective mass of powder beds subjected to low magnitude vibration and its application to binary systems: Part 1—experimental methodology                                       |
| <b>T. Yanagida, A. J. Matchett and J. M. Coulthard</b>           | 2663 | Effective mass of powder beds subjected to low magnitude vibration and its application to binary systems: Part 2—comparison of segregated and well-mixed binary powder mixtures |
| <b>N. E. Benes, H. J. M. Bouwmeester and H. Verweij</b>          | 2673 | Multi-component lattice gas diffusion   |
| <b>V. K. Gupta and N. Verma</b>                                  | 2679 | Removal of volatile organic compounds by cryogenic condensation followed by adsorption  |
| <b>S. Caravieilhès, D. Schweich and C. de Bellefon</b>           | 2697 | Transient operation of a catalytic liquid-liquid plug flow reactor for kinetics measurements  |
| <b>X. Gamisans, M. Sarrà, F. J. Lafuente and B. J. Azzopardi</b> | 2707 | The hydrodynamics of ejector-Venturi scrubbers and their modelling by an annular flow/boundary layer model  |
| <b>A. Vikhansky</b>  | 2719 | Enhancement of laminar mixing by optimal control methods  |
| <b>S.-T. Lin and S. I. Sandler</b>                               | 2727 | Henry's law constant of organic compounds in water from a group contribution model with multipole corrections   |
| <b>R. Dhib and N. Al-Nidawy</b>                                  | 2735 | Modelling of free radical polymerisation of ethylene using difunctional initiators  |
| <b>J. Y. Huh and Y. C. Bae</b>                                   | 2747 | Water activities of fluorinated solid polymer electrolyte/water systems using group-contribution method   |
| <b>M. Bravi, R. Bubbico, F. Manna and N. Verdone</b>             | 2753 | Process optimisation in sunflower oil extraction by supercritical CO <sub>2</sub>   |
| <b>L. J. De Chant</b>  | 2765 | An analytical model for material line kinematics in steady and unsteady buoyancy driven flows in 2-d channels   |
| <b>S. Moosa, M. Nemati and S. T. L. Harrison</b>                 | 2773 | A kinetic study on anaerobic reduction of sulphate, Part I: Effect of sulphate concentration  |
| <b>J. G. Fourie and J. P. Du Plessis</b>                         | 2781 | Pressure drop modelling in cellular metallic foams  |
| <b>G. Grasa and J. C. Abanades</b>                               | 2791 | The use of two different models to describe the axial mixing of solids in fluidised beds  |
| <b>B. H. L. Betlem, P. Mulder and B. Roffel</b>                  | 2799 | Optimal mode of operation for biomass production  |
| <b>M. J. Hagge and K. M. Bryden</b>                              | 2811 | Modeling the impact of shrinkage on the pyrolysis of dry biomass  |
| <b>J.-L. Li and B.-H. Chen</b>                                   | 2825 | Solubilization of model polycyclic aromatic hydrocarbons by nonionic surfactants  |
| <b>C. Ablitzer, F. Gruy and C. Perrais</b>                       | 2837 | Influence of macromixing on powder formation in a reactive coaxial jet  |

X. Ni, H. Jian and A. W. Fitch

- 2849 Computational fluid dynamic modelling of flow patterns in an oscillatory baffled column

C. W. Hui, B. Chen and G. McKay

- 2863 Contact time optimization of two-stage batch adsorber systems using the modified film-pore diffusion model

*Letter to the Editor*

L. J. I. Coleman, R. R. Hudgins and P. L. Silveston

- 2875 1
- <sup>st</sup>
- moment in the Colombo model used to calculate solid-liquid contacting effectiveness in trickle bed reactors

## Number 15

M. Bayat, A. Taeb and S. Rastegar

- 2879 Investigation of the filtration rate of silica in aluminum fluoride production from silicic acid

P. Y. Chen and H. J. Keh

- 2885 Diffusiophoresis of a colloidal sphere in nonelectrolyte gradients parallel to one or two plane walls

M. Yamamura, T. Nishio, T. Kajiwara and K. Adachi

- 2901 Evaporation-induced pattern formation in polymer films via secondary phase separation

B. Feng and S. K. Bhatia

- 2907 On the validity of thermogravimetric determination of carbon gasification kinetics

P. Fievet, C. Labbez, A. Szymczyk, A. Vidonne, A. Foissy and J. Pagetti

- 2921 Electrolyte transport through amphoteric nanofiltration membranes

J. Dufrêche, M. Prat, P. Schmitz and J. D. Sherwood

- 2933 On the apparent permeability of a porous layer backed by a perforated plate

W. Yang, Y. Kim, P. K. T. Liu, M. Sahimi and T. T. Tsotsis

- 2945 A study by in situ techniques of the thermal evolution of the structure of a Mg-Al-CO
- <sub>3</sub>
- layered double hydroxide

J. Zeaiter, J. A. Romagnoli, G. W. Barton, V. G. Gomes, B. S. Hawke and R. G. Gilbert

- 2955 Operation of semi-batch emulsion polymerisation reactors: Modelling, validation and effect of operating conditions

S.-Y. Chang, C.-R. Lin and C.-T. Chang

- 2971 A fuzzy diagnosis approach using dynamic fault trees

A. Elgozali, V. Linek, M. Fialová, O. Wein and J. Zahradník

- 2987 Influence of viscosity and surface tension on performance of gas-liquid contactors with ejector type gas distributor

S. A. Velardi and A. A. Barresi

- 2995 Methanol synthesis in a forced unsteady-state reactor network

K. K. Tan, R. Ferdous and S. Huang

- 3005 Closed-loop automatic tuning of PID controller for non-linear systems

J.-S. Bae and D. D. Do

- 3013 Study on diffusion and flow of benzene,
- n*
- hexane and CCl
- <sub>4</sub>
- in activated carbon by a differential permeation method

H. Benkreira

- 3025 Dynamic wetting in metering and pre-metered forward roll coating

J. Wood and L. F. Gladden

- 3033 Modelling diffusion and reaction accompanied by capillary condensation using three-dimensional pore networks. Part 1. Fickian diffusion and pseudo-first-order reaction kinetics

- |   |      |   |
|---|------|---|
| <b>J. Wood, L. F. Gladden and F. J. Keil</b>                    | 3047 | Modelling diffusion and reaction accompanied by capillary condensation using three-dimensional pore networks. Part 2. Dusty gas model and general reaction kinetics |
| <b>T. Nunoura, G. H. Lee, Y. Matsumura and K. Yamamoto</b>      | 3061 | Modeling of supercritical water oxidation of phenol catalyzed by activated carbon   |
| <b>C. Anh Ho and M. Sommerfeld</b>                              | 3073 | Modelling of micro-particle agglomeration in turbulent flows  |
| <b>L. J. Bruce and H. A. Chase</b>                              | 3085 | The combined use of in-bed monitoring and an adsorption model to anticipate breakthrough during expanded bed adsorption   |
| <b>J. E. Drake and V. Manousiouthakis</b>                       | 3095 | IDEAS approach to process network synthesis: minimum utility cost for complex distillation networks   |
| <b>D. Mao, J. R. Edwards, A. V. Kuznetsov and R. Srivastava</b> | 3107 | Particle flow, mixing, and chemical reaction in circulating fluidized bed absorbers   |
| <b>W. L. Vargas and J. J. McCarthy</b>                          | 3119 | Stress effects on the conductivity of particulate beds  |
| <b>K. Fukui and K. Maeda</b>                                    | 3133 | Effects of crystal growth rate and heat and mass transfer on solute distribution  |
| <b>I. E. Agranovski, T. Myojo and R. D. Braddock</b>            | 3141 | Removal of aerosols by bubbling through porous media submerged in organic liquid  |

*Shorter communication*

- |              |      |   |
|--------------|------|---|
| <b>X. Hu</b> | 3149 | Prediction of the inversion velocity in the binary-solid liquid fluidized bed |
|--------------|------|---|

## Number 16

**SPECIAL ISSUE****JEAN-CLAUDE CHARPENTIER FESTSCHRIFT**

- |  |      |           |
|--|------|-----------|
| <b>H. Curien, V. Sanchez and G. Wild</b> | 3155 | Editorial |
|--|------|-----------|

*Review Paper*

- |  |      |  |
|--|------|--|
| <b>J. B. Joshi, V. S. Vitankar, A. A. Kulkarni, M. T. Dhotre and K. Ekambara</b> | 3157 | Coherent flow structures in bubble column reactors |
|--|------|--|

*Regular Papers*

- |   |      |  |
|---|------|--|
| <b>C. Boyer, A.-M. Duquenne and G. Wild</b> | 3185 | Measuring techniques in gas-liquid and gas-liquid-solid reactors   |
| <b>H. Martin</b>                            | 3217 | The generalized L  v  que equation and its practical use for the prediction of heat and mass transfer rates from pressure drop |



|   |      |   |
|---|------|---|
| <b>D. Cicéron, J. Comiti, R. P. Chhabra and M. Renaud</b>         | 3225 | Non-Newtonian fluidisation of spherical particles   |
| <b>V. S. Vitankar, M. T. Dhotre and J. B. Joshi</b>               | 3235 | A low Reynolds number $k-\varepsilon$ model for the prediction of flow pattern and pressure drop in bubble column reactors                      |
| <b>L. Hagesaether, H. A. Jakobsen and H. F. Svendsen</b>          | 3251 | A model for turbulent binary breakup of dispersed fluid particles   |
| <b>L. X. Zhou, M. Yang, C. Y. Lian, L. S. Fan and D. J. Lee</b>   | 3269 | On the second-order moment turbulence model for simulating a bubble column  |
| <b>E. León-Becerril, A. Cockx and A. Liné</b>                     | 3283 | Effect of bubble deformation on stability and mixing in bubble columns  |
| <b>S. Poncin, C. Nguyen, N. Midoux and J. Breyse</b>              | 3299 | Hydrodynamics and volumetric gas-liquid mass transfer coefficient of a stirred vessel equipped with a gas-inducing impeller                     |
| <b>A. Behkish, Z. Men, J. R. Inga and B. I. Morsi</b>             | 3307 | Mass transfer characteristics in a large-scale slurry bubble column reactor with organic liquid mixtures  |
| <b>A. Heyouni, M. Roustan and Z. Do-Quang</b>                     | 3325 | Hydrodynamics and mass transfer in gas-liquid flow through static mixers  |
| <b>S. Perrin, S. Chaudourne, C. Jallut and J. Lieto</b>           | 3335 | Transient state techniques for mass transfer characterization of a gas-liquid packed column   |
| <b>K. Benkrid, S. Rode, M. N. Pons, P. Pitiot and N. Midoux</b>   | 3347 | Bubble flow mechanisms in trickle beds—an experimental study using image processing   |
| <b>I. Iliuta, B. P. A. Grandjean and F. Larachi</b>               | 3359 | New mechanistic film model for pressure drop and liquid holdup in trickle flow reactors   |
| <b>P. L. Silveston and J. Hanika</b>                              | 3373 | Challenges for the periodic operation of trickle-bed catalytic reactors   |
| <b>J. G. Boelhouwer, H. W. Piepers and A. A. H. Drinkenburg</b>   | 3387 | Liquid-induced pulsing flow in trickle-bed reactors   |
| <b>R. Khanna and K. D. P. Nigam</b>                               | 3401 | Partial wetting in porous catalysts: wettability and wetting efficiency   |
| <b>Z.-M. Cheng and W.-K. Yuan</b>                                 | 3407 | Influence of hydrodynamic parameters on performance of a multiphase fixed-bed reactor under phase transition                                    |
| <b>I. Gestring and D. Mewes</b>                                   | 3415 | Degassing of molten polymers  |
| <b>V. Blet, D. Rudloff, P. Berne, P. Jollivet and D. Schweich</b> | 3427 | A systemic approach for the characterization of ion exchange in the altered layer of a non-radioactive nuclear glass                            |
| <b>K. Jarosch, T. El Solh and H. I. de Lasa</b>                   | 3439 | Modelling the catalytic steam reforming of methane: discrimination between kinetic expressions using sequentially designed experiments          |
| <b>E. Joannet, C. Horny, L. Kiwi-Minsker and A. Renken</b>        | 3453 | Palladium supported on filamentous active carbon as effective catalyst for liquid-phase hydrogenation of 2-butyne-1,4-diol to 2-butene-1,4-diol |

**J. T. M. Pater, G. Weickert and  
W. P. M. van Swaaij**

- 3461 Polymerization of liquid propylene with a 4th generation Ziegler–Natta catalyst—influence of temperature, hydrogen and monomer concentration and prepolymerization method on polymerization kinetics

**C. Roizard and G. Wild**

- 3479 Mass transfer with chemical reaction: the slow reaction regime revisited

### Number 17

**M. S. Parmar and A. N. Hayhurst**

- 3485 The heat transfer coefficient for a freely moving sphere in a bubbling fluidised bed

**D. Wu, Y. Li, Y. Shi, Z. Fang, D. Wu and  
L. Chang**

- 3495 Effects of the calcination conditions on the mechanical properties of a PCoMo/Al<sub>2</sub>O<sub>3</sub> hydrotreating catalyst

**L. Y. Yeo, O. K. Matar, E. S. P. de Ortiz  
and G. F. Hewitt**

- 3505 A description of phase inversion behaviour in agitated liquid–liquid dispersions under the influence of the Marangoni effect

**K. Sankaranarayanan and S. Sundaresan**

- 3521 Lift force in bubbly suspensions

**N. A. Tsochatzidis, A. J. Karabelas,  
D. Giakoumakis and G. A. Huff**

- 3543 An investigation of liquid maldistribution in trickle beds

**B. J. Azzopardi and K. S. Sanaullah**

- 3557 Re-entrainment in wave-plate mist eliminators

**L. M. Gómez-Sainero, X. L. Seoane,  
E. Tijero and A. Arcoya**

- 3565 Hydrodechlorination of carbon tetrachloride to chloroform in the liquid phase with a Pd/carbon catalyst. Study of the mass transfer steps

**J. T. Tinge and A. J. R. Casado**

- 3575 Influence of pressure on the gas hold-up of aqueous activated carbon slurries in a down flow jet loop reactor

**R. P. W. J. Struis, C. von Scala, S. Stucki  
and R. Prins**

- 3581 Gasification reactivity of charcoal with CO<sub>2</sub>. Part I: Conversion and structural phenomena

**R. P. W. J. Struis, C. von Scala, S. Stucki  
and R. Prins**

- 3593 Gasification reactivity of charcoal with CO<sub>2</sub>. Part II: Metal catalysis as a function of conversion

**R. Pankajavalli, C. Mallika, O. M. Sreedharan,  
V. S. Raghunathan, P. A. Premkumar and  
K. S. Nagaraja**

- 3603 Thermal stability of organo-chromium or chromium organic complexes and vapor pressure measurements on tris(2,4-pentanedionato)chromium(III) and hexacarbonyl chromium(0) by TG-based transpiration method

**S. Sahebdehfar, M. Kazemeini, F. Khorasheh  
and A. Badakhshan**

- 3611 Deactivation behavior of the catalyst in solid acid catalyzed alkylation: effect of pore mouth plugging

**H. P. Kuo, P. C. Knight, D. J. Parker,  
Y. Tsuji, M. J. Adams and J. P. K. Seville**

- 3621 The influence of DEM simulation parameters on the particle behaviour in a V-mixer

**M. R. Davidson**

- 3639 Spreading of an inviscid drop impacting on a liquid film

**M. Stein, Y. L. Ding and J. P. K. Seville**

- 3649 Experimental verification of the scaling relationships for bubbling gas-fluidised beds using the PEPT technique

|  |      |   |
|--|------|---|
| <b>M. Ghadiri and Z. Zhang</b>   | 3659 | Impact attrition of particulate solids. Part 1: A theoretical model of chipping   |
| <b>Z. Zhang and M. Ghadiri</b>   | 3671 | Impact attrition of particulate solids. Part 2: Experimental work   |
| <b>M. Massoudi</b>   | 3687 | On the importance of material frame-indifference and lift forces in multiphase flows  |
| <b>S. Hashim and B. W. Brooks</b>  | 3703 | Drop mixing in suspension polymerisation  |
| <b>Y. I. Lim, J.-M. Le Lann, X. M. Meyer, X. Joulia, G. Lee and E. S. Yoon</b> | 3715 | On the solution of population balance equations (PBE) with accurate front tracking methods in practical crystallization processes |
| <b>A. P. Reverberi, A. Esposito and F. Vegliò</b>                              | 3733 | Solid dissolution in a batch process with intraparticle diffusion and lumped kinetics   |
| <b>C. Y. Wang</b>  | 3745 | Flow due to a stretching boundary with partial slip—an exact solution of the Navier–Stokes equations                              |
| <b>M. M. Alvarez-Hernández, T. Shinbrot, J. Zalc and F. J. Muzzio</b>          | 3749 | Practical chaotic mixing  |
| <i>Correspondence</i>  |      |   |
| <b>I. Fořt</b>   | 3755 | Comments on “Power input in closed stirred vessels”   |

## Number 18

|  |      |  |
|--|------|--|
| <b>K. Terasaka, J. Oka and H. Tsuge</b>  | 3757 | Ammonia absorption from a bubble expanding at a submerged orifice into water   |
| <b>E. P. Byrne, J. J. Fitzpatrick, L. W. Pampel and N. J. Titchener-Hooker</b> | 3767 | Influence of shear on particle size and fractal dimension of whey protein precipitates: implications for scale-up and centrifugal clarification efficiency |
| <b>B. F. C. Laurent and J. Bridgwater</b>                                      | 3781 | Influence of agitator design on powder flow  |
| <b>L. Smith and U. Tüzün</b>   | 3795 | Stress, voidage and velocity coupling in an avalanching granular heap  |
| <b>G. Madras and B. J. McCoy</b>   | 3809 | Transition from nucleation and growth to Ostwald ripening  |
| <b>E. Palazzi, P. Perego and B. Fabiano</b>                                    | 3819 | Mathematical modelling and optimization of hydrogen continuous production in a fixed bed bioreactor  |
| <b>C. Mantell, M. Rodríguez and E. Martínez de la Ossa</b>                     | 3831 | Semi-batch extraction of anthocyanins from red grape pomace in packed beds: experimental results and process modelling                                     |
| <b>V. G. Gomes and K. W. K. Yee</b>  | 3839 | A periodic separating reactor for propene metathesis   |
| <b>M. D. Heydenrych, P. Greeff, A. B. M. Heesink and G. F. Versteeg</b>        | 3851 | Mass transfer in rolling rotary kilns: a novel approach  |



|  |      |  |
|--|------|--|
| <b>F. Thibault and P. A. Tanguy</b>  | 3861 | Power-draw analysis of a coaxial mixer with Newtonian and non-Newtonian fluids in the laminar regime   |
| <b>J. S. Ryan and W. L. H. Hallett</b>   | 3873 | Packed bed combustion of char particles: experiments and an ash model  |
| <b>S. J. Kowalski and K. Rajewska</b>  | 3883 | Drying-induced stresses in elastic and viscoelastic saturated materials  |
| <b>G.-h. Xiu, P. Li and A. E. Rodrigues</b>  | 3893 | Sorption-enhanced reaction process with reactive regeneration  |
| <b>L. P. Ding, S. K. Bhatia and F. Liu</b>   | 3909 | Kinetics of adsorption on activated carbon: application of heterogeneous vacancy solution theory   |
| <b>M. Kemmere, M. Cleven, M. van Schilt and J. Keurentjes</b>                              | 3929 | Process design for the removal of residual monomer from latex products using supercritical carbon dioxide  |
| <b>P. Mavros, C. Xuereb, I. Fořt and J. Bertrand</b>                                       | 3939 | Investigation by laser Doppler velocimetry of the effects of liquid flow rates and feed positions on the flow patterns induced in a stirred tank by an axial-flow impeller |
| <b>S. Rebouillat, B. Steffenino and B. Salvador</b>  | 3953 | Hydrodynamics of high-speed fibre impregnation: the fluid layer formation from the meniscus region   |
| <b>T. Hibiki and M. Ishii</b>  | 3967 | Interfacial area concentration of bubbly flow systems  |
| <b>E. N. M. van Sprang, H.-J. Ramaker, J. A. Westerhuis, S. P. Gurden and A. K. Smilde</b> | 3979 | Critical evaluation of approaches for on-line batch process monitoring   |
| <b>W. Ge and J. Li</b>   | 3993 | Physical mapping of fluidization regimes—the EMMS approach   |
| <b>G. A. Viecco and H. S. Caram</b>  | 4005 | The spherical reverse flow reactor   |

## Number 19

|   |      |   |
|---|------|---|
| <b>H. Shinagawa, H. Setyawan, T. Asai, Y. Sugiyama and K. Okuyama</b>                                 | 4027 | An experimental and theoretical investigation of rarefied gas flow through circular tube of finite length   |
| <b>P. A. Gauglitz, F. Friedmann, S. I. Kam and W. R. Rossen</b>                                       | 4037 | Foam generation in homogeneous porous media   |
| <b>S. Massol-Chaudeur, H. Berthiaux and J. A. Dodds</b>   | 4053 | Experimental study of the mixing kinetics of binary pharmaceutical powder mixtures in a laboratory hoop mixer   |
| <b>J. G. M. Winkelman, O. K. Voorwinde, M. Ottens, A. A. C. M. Beenackers and L. P. B. M. Janssen</b> | 4067 | Kinetics and chemical equilibrium of the hydration of formaldehyde  |
| <b>W.-S. Kim, I. Hirasawa and W.-S. Kim</b>   | 4077 | Aging characteristics of protein precipitates produced by polyelectrolyte precipitation in turbulently agitated reactor   |
| <b>U. Cocchini, C. Nicolella and A. G. Livingston</b>   | 4087 | Countercurrent transport of organic and water molecules through thin film composite membranes in aqueous-aqueous extractive membrane processes. Part I: experimental characterisation |

|   |      |   |
|---|------|---|
| <b>M. Mangold, S. Motz and E. D. Gilles</b>   | 4099 | A network theory for the structured modelling of chemical processes   |
| <b>T. Shimizu, M. Peglow, K. Yamagiwa, M. Tanaka, S. Sakuno, N. Misawa, N. Suzuki, H. Ueda, H. Sasatsu and H. Gotou</b> | 4117 | A simplified model of SO <sub>2</sub> capture by limestone in 71 MW <sub>e</sub> pressurized fluidized bed combustor  |
| <b>V. Brucato, S. Piccarolo and V. La Carrubba</b>  | 4129 | An experimental methodology to study polymer crystallization under processing conditions. The influence of high cooling rates   |
| <b>S. J. Wilson and P. A. Webley</b>  | 4145 | Perturbation techniques for accelerated convergence of cyclic steady state (CSS) in oxygen VSA simulations  |
| <b>H. T. Aichlmayr, D. B. Kittelson and M. R. Zachariah</b>   | 4161 | Miniature free-piston homogeneous charge compression ignition engine-compressor concept—Part I: performance estimation and design considerations unique to small dimensions   |
| <b>H. T. Aichlmayr, D. B. Kittelson and M. R. Zachariah</b>   | 4173 | Miniature free-piston homogeneous charge compression ignition engine-compressor concept—Part II: modeling HCCI combustion in small scales with detailed homogeneous gas phase chemical kinetics   |
| <b>R. B. Diemer and J. H. Olson</b>   | 4187 | A moment methodology for coagulation and breakage problems: Part 3—generalized daughter distribution functions  |
| <b>J. S. Vrentas and C. M. Vrentas</b>  | 4199 | Transport in nonporous membranes  |
| <b>M. A. Howley and B. J. Glasser</b>   | 4209 | Hydrodynamics of a uniform liquid-fluidized bed containing a binary mixture of particles  |
| <b>R. S. Todd and P. A. Webley</b>  | 4227 | Limitations of the LDF/equimolar counterdiffusion assumption for mass transport within porous adsorbent pellets   |
| <b>M. Sorin, B. Spinner and D. Stitou</b>   | 4243 | Thermodynamic techniques for the conceptual design of thermochemical refrigerators using two salt materials   |
| <i>Letter to the Editors</i>  |      |   |
| <b>P. L. C. Lage</b>  | 4253 | Comments on the "An analytical solution to the population balance equation with coalescence and breakage—the special case with constant number of particles" by D. P. Patil and J. R. G. Andrews [Chemical Engineering Science 53(3) 599–601] |

Number 20

## SPECIAL ISSUE

## PARTICULATE PROCESSES

*Editorial*

|                                   |      |  |
|-----------------------------------|------|--|
| <b>E. D. Gilles and A. Kienle</b> | 4255 | Particulate Processes: a Special Issue of Chemical Engineering Science |
|-----------------------------------|------|--|

|  |      |   |
|--|------|---|
| <b>K. Borho</b>  | 4257 | The importance of population dynamics from the perspective of the chemical process industry                       |
| <b>A. Mersmann, B. Braun and M. Löffelmann</b>                       | 4267 | Prediction of crystallization coefficients of the population balance  |
| <b>R. Mohan and A. S. Myerson</b>                                    | 4277 | Growth kinetics: a thermodynamic approach   |
| <b>M. Kind</b>   | 4287 | Colloidal aspects of precipitation processes  |
| <b>R. Polke and M. Schäfer</b>                                       | 4295 | Particle systems characterisation as a fundamental element for process design and modelling                       |
| <b>M. Löffelmann and A. Mersmann</b>                                 | 4301 | How to measure supersaturation?   |
| <b>A. Gerstlauer, S. Motz, A. Mitrović and E.-D. Gilles</b>          | 4311 | Development, analysis and validation of population models for continuous and batch crystallizers                  |
| <b>S. Motz, A. Mitrović and E.-D. Gilles</b>                         | 4329 | Comparison of numerical methods for the simulation of dispersed phase systems                                     |
| <b>K. Schaber, J. Körber, O. Ofenloch, R. Ehrig and P. Deuflhard</b> | 4345 | Aerosol formation in gas-liquid contact devices—nucleation, growth and particle dynamics                          |
| <b>S. Schuetz and M. Piesche</b>                                     | 4357 | A model of the coagulation process with solid particles and flocs in a turbulent flow                             |
| <b>S. Heinrich, M. Peglow, M. Ihlow, M. Henneberg and L. Mörl</b>    | 4369 | Analysis of the start-up process in continuous fluidized bed spray granulation by population balance modelling    |
| <b>P. K. Pathath and A. Kienle</b>                                   | 4391 | A numerical bifurcation analysis of nonlinear oscillations in crystallization processes                           |
| <b>U. Vollmer and J. Raisch</b>                                      | 4401 | Population balance modelling and $H_\infty$ —controller design for a crystallization process                      |
| <b>C. D. Immanuel and F. J. Doyle III</b>                            | 4415 | Open-loop control of particle size distribution in semi-batch emulsion copolymerization using a genetic algorithm |

## Number 21

|   |      |   |
|---|------|---|
| <b>P. W. Reimus and S. C. James</b>                       | 4429 | Determining the random time step in a constant spatial step particle tracking algorithm   |
| <b>R. Chebbi</b>  | 4435 | Laminar flow of power-law fluids in the entrance region of a pipe   |
| <b>G. Li, S.-W. Wang, H. Rabitz, S. Wang and P. Jaffé</b> | 4445 | Global uncertainty assessments by high dimensional model representations (HDMR)   |
| <b>U. Cocchini, C. Nicolella and A. G. Livingston</b>     | 4461 | Countercurrent transport of organic and water molecules through thin film composite membranes in aqueous-aqueous extractive membrane processes. Part II: theoretical analysis |
| <b>J. Song, G. Stephanopoulos and W. H. Green</b>         | 4475 | Valid parameter range analyses for chemical reaction kinetic models   |



|  |      |   |
|--|------|---|
| <b>B. A. Buffham, G. Mason, M. J. Heslop and P. A. Russell</b>       | 4493 | Perturbation viscometry of gas mixtures: fitting a model to logarithmic viscosity gradients   |
| <b>P. Stevenson, R. B. Thorpe and J. F. Davidson</b>                 | 4505 | Incipient motion of a small particle in the viscous boundary layer at a pipe wall   |
| <b>Y. Ding, D. T. Croft and M. D. LeVan</b>                          | 4521 | Periodic states of adsorption cycles IV. Direct optimization  |
| <b>Cz. Kuncewicz</b>   | 4533 | Modelling heat transfer for pitched-blade turbines operating in the laminar range of mixing   |
| <b>J. M. MacInnes</b>  | 4539 | Computation of reacting electrokinetic flow in microchannel geometries  |
| <b>V. Yakhnin and M. Menzinger</b>                                   | 4559 | Stationary and traveling hot spots in the catalytic combustion of hydrogen in monoliths   |
| <b>C.-H. Liao and M.-H. Li</b>                                       | 4569 | Kinetics of absorption of carbon dioxide into aqueous solutions of monoethanolamine + <i>N</i> -methyldiethanolamine  |
| <b>A. E. Caola and R. A. Brown</b>                                   | 4583 | Robust iterative methods for solution of transport problems with flow: a block two-level preconditioned Schwarz-domain decomposition method for solution of nonlinear viscous flow problems |
| <b>L. Li, R. W. Borry and E. Iglesia</b>                             | 4595 | Design and optimization of catalysts and membrane reactors for the non-oxidative conversion of methane  |
| <b>J. D. H. Kelder, K. J. Ptasinski and P. J. A. M. Kerkhof</b>      | 4605 | Power-law foods in continuous coiled sterilisers  |
| <b>B. Letellier, C. Xuereb, P. Swaels, P. Hobbes and J. Bertrand</b> | 4617 | Scale-up in laminar and transient regimes of a multi-stage stirrer, a CFD approach  |
| <b>K. Délécouls-Servat, R. Basséguy and A. Bergel</b>                | 4633 | Membrane electrochemical reactor (MER): application to NADH regeneration for ADH-catalysed synthesis  |
| <b>N. V. Mantzaris, A. S. Kelley, P. Daoutidis and F. Srieac</b>     | 4643 | A population balance model describing the dynamics of molecular weight distributions and the structure of PHA copolymer chains  |

Number 22-23

## SPECIAL ISSUE

## FESTSCHRIFT IN HONOUR OF PROFESSOR WIM VAN SWAAIJ

|                          |      |  |
|--------------------------|------|--|
| <b>J. A. M. Kuipers</b>  | 4665 | Editorial  |
| <b>J.-C. Charpentier</b> | 4667 | The triplet "molecular processes-product-process" engineering: the future of chemical engineering? |
| <b>O. Levenspiel</b>     | 4691 | Modeling in chemical engineering   |

|   |      |  |
|---|------|--|
| W. Mellor, E. Wright, R. Clift, A. Azapagic and G. Stevens                                    | 4697 | A mathematical model and decision-support framework for material recovery, recycling and cascaded use                    |
| V. V. Buwa and V. V. Ranade   | 4715 | Dynamics of gas-liquid flow in a rectangular bubble column: experiments and single/multi-group CFD simulations           |
| K. Kuwagi and M. Horio  | 4737 | A numerical study on agglomerate formation in a fluidized bed of fine cohesive particles                                 |
| Ch. Vial, S. Poncin, G. Wild and N. Midoux  | 4745 | Experimental and theoretical analysis of the hydrodynamics in the riser of an external loop airlift reactor              |
| C. M. van den Bleek, M.-O. Coppens and J. C. Schouten   | 4763 | Application of chaos analysis to multiphase reactors   |
| A. T. Harris, R. B. Thorpe and J. F. Davidson   | 4779 | Stochastic modelling of the particle residence time distribution in circulating fluidised bed risers                     |
| I. A. Abba, J. R. Grace and H. T. Bi  | 4797 | Variable-gas-density fluidized bed reactor model for catalytic processes   |
| J. Ellenberger and R. Krishna   | 4809 | Improving mass transfer in gas-liquid dispersions by vibration excitement  |
| M. H. Al-Marzouqi, J. A. Hogendoorn and G. F. Versteeg  | 4817 | Analytical solution for facilitated transport across a membrane  |
| J. A. Patwardhan, M. P. Pradhan and J. B. Joshi   | 4831 | Simulation of NO <sub>x</sub> gas absorption under adiabatic condition and comparison with plant data                    |
| M. van der Zon, P. J. Hamersma, E. K. Poels and A. Blik                                       | 4845 | Coalescence of freely moving bubbles in water by the action of suspended hydrophobic particles                           |
| A. Burghardt, G. Bartelmus, D. Janecki and A. Szlemp  | 4855 | Hydrodynamics of a three-phase fixed-bed reactor operating in the pulsing flow regime at an elevated pressure            |
| J. G. Boelhouwer, H. W. Piepers and A. A. H. Drinkenburg                                      | 4865 | Nature and characteristics of pulsing flow in trickle-bed reactors   |
| S. M. Mahajani, M. M. Sharma and T. Sridhar   | 4877 | Direct hydration of propylene in liquid phase and under supercritical conditions in the presence of solid acid catalysts |
| D. Nagel, R. de Kermadec, H.-G. Lintz, C. Roizard and F. Lapique                              | 4883 | Absorption of sulfur dioxide in <i>N</i> -formylmorpholine: investigations of the kinetics of the liquid phase reaction  |
| M. F. J. Dijkstra, H. J. Panneman, J. G. M. Winkelman, J. J. Kelly and A. A. C. M. Beenackers | 4895 | Modeling the photocatalytic degradation of formic acid in a reactor with immobilized catalyst                            |
| S. Al-Khattaf, J. A. Atias, K. Jarosch and H. de Lasa   | 4909 | Diffusion and catalytic cracking of 1,3,5 tri-iso-propylbenzene in FCC catalysts   |
| R. J. Berger, J. Pérez-Ramírez, F. Kapteijn and J. A. Moulijn                                 | 4921 | Catalyst performance testing: bed dilution revisited   |
| S. Y. Lim, B. Park, F. Hung, M. Sahimi and T. T. Tsotsis                                      | 4933 | Design issues of pervaporation membrane reactors for esterification  |

|   |      |  |
|---|------|--|
| <b>L. Kiwi-Minsker, O. Wolfrath and A. Renken</b> | 4947 | Membrane reactor microstructured by filamentous catalyst   |
| <b>D. Fino, G. Saracco and V. Specchia</b>        | 4955 | Filtration and catalytic abatement of diesel particulate from stationary sources   |
| <b>M. van Sint Annaland and R. C. Nijssen</b>     | 4967 | A novel reverse flow reactor coupling endothermic and exothermic reactions: an experimental study                                  |
| <b>P. A. Tatake and A. B. Pandit</b>              | 4987 | Modelling and experimental investigation into cavity dynamics and cavitation yield: influence of dual frequency ultrasound sources |

## Number 24

|   |      |   |
|---|------|---|
|   | 4997 | Publisher's note  |
| <b>M.-C. Delhom nie, L. Bibeau and M. Heitz</b>                               | 4999 | A study of the impact of particle size and adsorption phenomena in a compost-based biological filter                    |
| <b>T.-S. Chen and J.-M. Chern</b>   | 5011 | General rate equations and their applications for cyclic reaction networks: multi-pathway systems                       |
| <b>J. Burgschweiger and E. Tsotsas</b>  | 5021 | Experimental investigation and modelling of continuous fluidized bed drying under steady-state and dynamic conditions   |
| <b>M. A. Al-Arfaj and W. L. Luyben</b>  | 5039 | Comparative control study of ideal and methyl acetate reactive distillation   |
| <b>V. R. Gangwal, B. G. M. van Wachem, B. F. M. Kuster and J. C. Schouten</b> | 5051 | Platinum catalysed aqueous alcohol oxidation: model-based investigation of reaction conditions and catalyst design      |
| <b>L. Russo, E. Mancusi, P. L. Maffettone and S. Crescitelli</b>              | 5065 | Symmetry properties and bifurcation analysis of a class of periodically forced chemical reactors                        |
| <b>A. Armaou and P. D. Christofides</b>                                       | 5083 | Dynamic optimization of dissipative PDE systems using nonlinear order reduction   |
| <b>F. Lesage, N. Midoux and M. A. Latifi</b>                                  | 5115 | Momentum transfer in a fixed-bed reactor described by the surface renewal model   |
| <b>P. N. Loezos, P. Costamagna and S. Sundaresan</b>                          | 5123 | The role of contact stresses and wall friction on fluidization  |
| <b>G. Brenn, H. Braeske and F. Durst</b>                                      | 5143 | Investigation of the unsteady two-phase flow with small bubbles in a model bubble column using phase-Doppler anemometry |
| <b>P. M. Lahey and D. A. Drew</b>   | 5161 | Taylor vortex flow with suction   |



